

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE


In re Application of:

McDevitt et al.

Serial No.: 09/287,248

Filed: April 7, 1999

For: FLUID BASED ANALYSIS OF  
MULTIPLE ANALYTES  
BY A SENSOR ARRAY



Examiner: Unknown

Group Art Unit: 2877

Atty. Docket: 5119-00501/EBM

| Certificate of Mailing<br>37 C.F.R. § 1.8  |                         |
|--|-------------------------|
| I hereby certify that this correspondence is being deposited with the U.S. Postal Service with sufficient postage as First Class Mail, postage prepaid, in an envelope addressed to: Assistant Commissioner for Patents, Office of Initial Patent Examination, Customer Service Center, Washington, D.C. 20231, on the date below: |                         |
| 2/22/00  | <i>Katherin L. Cope</i> |
| Date   | Katherin L. Cope        |

**REQUEST FOR CORRECTED FILING RECEIPT**

Assistant Commissioner for Patents  
Office of Initial Patent Examination  
Customer Service Center  
Washington, D.C. 20231

Sir:

A corrected filing receipt is hereby requested in view of the error which appears in the original. The Attorney Docket No. reads "5119-00500." This Docket No. should read "5119-00501." For the convenience of the Patent and Trademark Office, attached is a photocopy of the original receipt on which the error has been noted in red.

RECEIVED  
MAR 29 2000  
TC 2800 MAIL ROOM

No fee is believed to be due in connection with the filing of this document, however should any fee be deemed necessary, the Commissioner is hereby authorized to deduct said fee from Conley, Rose & Tayon Deposit Account No. 03-2769/5119-00501/EBM.

Respectfully submitted,



Eric B. Meyertons  
Reg. No. 34,876  
Attorney for Applicant(s)

CONLEY ROSE & TAYON, P.C.  
P. O. Box 398  
Austin, Texas 78767-0398  
(512) 476-1400 (voice)  
(512) 703-1250 (facsimile)

Date: 2/22/00


FILING RECEIPT  
CORRECTED



UNITED STATES DEPARTMENT OF COMMERCE  
Patent and Trademark Office  
ASSISTANT SECRETARY AND COMMISSIONER  
OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231

| APPLICATION NUMBER | FILING DATE | GRP ART UNIT | FL FEE REC'D | ATTORNEY DOCKET NO. | DRWGS | TOT CL | IND CL |
|--------------------|-------------|--------------|--------------|---------------------|-------|--------|--------|
| 09/287,248         | 04/07/99    | 2877         | \$991.00     | 5119-00501          | 17    | 72     | 5      |

ERIC B MEYERTONS  
CONLEY ROSE & TAYON  
P O BOX 398  
AUSTIN TX 78767-0398



00501

Receipt is acknowledged of this nonprovisional Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Customer Service Center. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts of Application" ("Missing Parts Notice") in this application, please submit any corrections to this Filing Receipt with your reply to the "Missing Parts Notice." When the PTO processes the reply to the "Missing Parts Notice," the PTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).


Applicant(s) JOHN T. MCDEVITT, AUSTIN, TX; ERIC V. ANSLYN, AUSTIN, TX; JASON B. SHEAR, AUSTIN, TX; DEAN P. NEIKIRK, AUSTIN, TX.

CONTINUING DATA AS CLAIMED BY APPLICANT-  
PROVISIONAL APPLICATION NO. 60/093,111 07/16/98

IF REQUIRED, FOREIGN FILING LICENSE GRANTED 04/30/99 \*\* SMALL ENTITY \*\*  
TITLE  
FLUID BASED ANALYSIS OF MULTIPLE ANALYTES BY A SENSOR ARRAY

PRELIMINARY CLASS: 356

RECEIVED  
MAR 29 2000  
TC 2800 MAIL ROOM



DATA ENTRY BY: MOLLISH, CHRISTINE TEAM: 03 DATE: 08/05/99



(See reverse for new important information)